



# XILOPAN

Società per Azioni

Località San Giuseppe 1/3  
I - 27040 - Cigognola (PV)

## INITIAL PRODUCT CERTIFICATE "FOR CARB" n. 039

By order of the California Air Resources Board, according to Executive Order W-23-016, relating to ARB approval of Third Party Certifiers under California Code of Regulation, having

- verified the accuracy of emission test procedures and facilities for Factory Production Control of manufacturer and evaluated them;
- monitored the manufacturer's quality assurance programs;
- verified the correlation of the FPC with the secondary test method;
- provided independent audits and inspections as an ARB approval TPC according to supervision contract 68874/2023, initial audit

we hereby confirm that the product

Particleboard PLOPPO  
thickness range: 14 mm  $\leq$  40 mm

produced by the above mentioned company meets the requirements of the  
**CARB Final Regulation Order, Airborne Toxic Control Measure §93120** and  
CATAS QUALITY AWARD - Technical Rules FORMALDEHYDE CARB rev. 6 dated 18.10.2019  
concerning the compliance with the emission standards of

### PHASE 2 (P2) for PARTICLEBOARD (PB)

according to Table 1 in FRO ATCM §93120.2 (a)

This evaluation is based on the monitoring and the test reports:

353725/1 to 5, 353726/1 to 4, 353727/1 to 4, 353728/1 to 4,  
353729/1 to 4, dated October 9<sup>th</sup>, 2023

October 11<sup>th</sup>, 2023

FIRST ISSUE

October 11<sup>th</sup>, 2023

CURRENT ISSUE

March 11<sup>th</sup>, 2024

VALID UNTIL

CATAS S.p.A.

Iscr. Reg. Imprese Udine  
nr.iscr. C.F. 01818850305  
Reg. Impr. UD 20663  
PIVA 01818850305  
C.Soc. 984.250,00 Euro i.v.  
Sede: Via Antica 24/3  
San Giovanni al Natisone 33048 (UD)  
cq@catas.com

dr. Franco Bulian  
Managing Director

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.



L'ENTE ITALIANO DI ACCREDITAMENTO

PRD N° 215B  
Signatory of EA, IAF and ILAC  
Mutual Recognition Agreements